## This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG.6A




FIG. 7




FIG. 8







FIG.9










FIG.12





FIG.13






FIG.14




FIG.15








FIG. 16








FIG.19




FIG.20




FIG.21




FIG.22




FIG.23




FIG.24

FIG.25A




FIG.25B






FIG.26



## FIG.28



430




FIG.29

450





FIG. 30

450






FIG.32

| · 通点的经验和 2010年度 |  | JOB NAME      |  |
|-----------------|--|---------------|--|
| 1 mak           | ENGINEERING  | JOB NO        | PAGEOF   |
| Almayor ing age |  | CALCULATED BY | DATE   |
| Almorova (margo |  | VERIFIED BY   | DATE   |
| " Ind Other     |  |               | SCALE  |
|                 |  |               | 7 ( )  |
|                 |  |               |  |
|                 |  |               |  |
|                 |  |               |  |
|                 |  |               |  |
|                 |  |               |  |
|                 |  |               |  |
|                 |  |               |  |
|                 |  |               |  |
|                 |  |               |  |
| 5.5             | 1202 2 2 3   |               |  |
| 1 3 2 4         | Leuninate Adbesive to amic Substrate ad Substrate e its Opticul  |               |  |
| 1 2 3 3         | 3 3 5 5  |               |  |
| 130             | 339  |               |  |
| wst L           |  |               |  |
| 3 3 3           | 3 3 3 2  |               |  |
| Pressur         | - e o e  |               |  |
| 3 5             | 8 ( 3 ) 3 3  |               |  |
| 963             | 195 4 1  |               |  |
|                 | Pressure Le<br>Transfer Adb<br>Glass Orteram<br>Fospect Fired<br>to deternize it   |               |  |
| Frank           | N 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3  |               |  |
| 3 8 3           | र दे व द न न   |               |  |
| 100             | (C) 1- 13 0 0H   |               |  |
|                 | [ <del>1</del> ]   |               |  |
|                 |  |               |  |
|                 |  |               |  |
|                 |  |               | i iiii.  |
| 2               | 1 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3  | / ¥ 3         |  |
|                 | 100 10 10 10 10 10 10 10 10 10 10 10 10  |               | the state of the state of  |
| 2 7             | Signal of the state of the stat | al            |  |
| 7 3             | 1 2 2 1 E P P P  |               |  |
| \$ 3            | 3 3 3  |               |  |
| \$ 3 X          | sure Sus fire<br>Adiusine<br>Cercuic/cess<br>Burnoffall<br>is Austrial   | 3.            |  |
|                 | Phess up Susting<br>Star Adiasing<br>Hu Cercuic/Cets<br>by to Bunoftall<br>acious Matuial  |               | )  |
| 2 3 3           | 2 5 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5  |               |  |
| 2 3 3           | 30 4 7 3   |               |  |
| Peas<br>Athe    | Fine H<br>Assumbly<br>Carbona  | <b>1</b>      |  |
| Q 0- E          | Fine Rose  |               |  |
|                 | 15 X 31  |               |  |
|                 | 1 2 2  |               |  |
|                 |  |               |  |
|                 |  |               |  |
| 3               | 1 3 5 3 5  |               |  |
| 1 5             | 17 8 31 4  |               |  |
| 1314            | Malusively Connect Me Decol to the Pressure Seasitive Malasi Parl away flexible Substrate from imaged Tremstendie Covercost  | d la pris     | the state of the same of the same  |
|                 | 75 2 3   |               |  |
| 1551            | 3   3   3   3   3   3  |               |  |
| Prepare.        | Malasively Connectives Malassum Seasifive Malastrate from image transferable coverco   |               |  |
| 1 7 2 9 1       | 1 2 3  |               |  |
| 1301            | 3-3 3-3  |               |  |
| (B)             | Malusine<br>Pressure Se<br>Pred O way<br>Substrate<br>Trunsluch  |               | the second secon |
| <b>1</b>        | Palles   |               |  |
|                 |  |               |  |
|                 |  |               |  |

| imak            | ENGINEERING   | JOB NO      |  | PAGEOF  |
|-----------------|---|-------------|--|---|
| Almay oring ago |   | CALCULATED  |  | DATE  |
| Impour lineage  |   | VERIFIED BY | <b>*************************************</b> | DATE  |
| <b>V</b> *      |   |             |  | SCALE   |
|                 |   |             |  |   |
|                 |   |             |  |   |
|                 |   |             |  |   |
|                 |   |             |  |   |
|                 |   |             |  |   |
|                 | 45 7 7 87   | 5 5         |  |   |
|                 | 7 7 7   | 7           |  |   |
|                 |   |             |  |   |
|                 |   |             |  |   |
|                 |   |             |  |   |
|                 |   |             |  |   |
|                 | yev.<br>Advesive  | Substrate   |  |   |
|                 | 2 5   | *           |  |   |
|                 | 3 3 3   | 2           |  |   |
|                 | strate<br>ryev<br>Advesiv                               | S C         |  |   |
|                 | bstrat<br>Loyev<br>or Adres                             | 2           |  |   |
|                 | t to  | V)          |  | 2   |
|                 | 8 8 8   | 5           |  | <b>v</b> )  |
|                 | Peterse to  | 5017        |  | jaung   |
| ナ               | 3 7 3   | 3           |  | 5   |
|                 | t Pet   |             |  |   |
|                 | 7 7 3   | 2           |  | (=  |
|                 | 3, 3, 15, 15, 15, 15, 15, 15, 15, 15, 15, 15            | 3           | £72  | 200   |
|                 | elease tra<br>duesive Ref<br>e Sens, tive<br>Adhesive R | Reisase     |  |   |
|                 | 7 7   | 2           |  |   |
|                 | <b>4</b>  | · cas       |  |   |
|                 | ·   |             |  |   |
|                 | % & S S   |             |  |   |
|                 | Q <sup>5</sup>  |             |  |   |
|                 |   |             |  |   |
|                 |   | $\sim$      |  |   |
|                 | 7   |             |  |   |
|                 | ·   | <b>6</b>    |  |   |
|                 |   |             |  |   |
|                 |   |             |  |   |
|                 |   |             |  |   |
|                 |   |             |  |   |
|                 |   |             |  |   |
|                 |   |             |  |   |
|                 |   |             | the second of the second of the second of    | a sangalah di |

JOB NAME **ENGINEERING** PAGE\_\_\_OF \_\_\_ JOB NO. DATE \_ CALCULATED BY DATE SCALE, かか 210/250/230 Advesive 520 Š

JOB NAME PAGE. ENGINEERING JOB NO. DATE \_\_\_ CALCULATED BY DATE अवत VERIFIED BY 417 Pressure Seasifive Trousfer Athesive Trunsferable Covercoat 540/550 Frosting Int Image Ġ

|   |  | JOB NAME          | <u> </u> |
|---|--|-------------------|----------|
| HER                                     | ENGINEERING  | JOB NO.           | _PAGEOF  |
| Almayoring mage                         |  | CALCULATED BY     |          |
| Almor or hand                           |  |                   | DATE     |
| hud Other in.                           |  |                   | SCALE    |
|   | and the second s |                   | i        |
|   |  |                   |          |
|   |  |                   |          |
|   |  |                   |          |
|   |  |                   |          |
|   |  |                   |          |
|   |  |                   |          |
|   |  |                   |          |
|   |  |                   |          |
|   |  |                   | - 0      |
|   |  |                   |          |
|   | - S  | <i>'00</i>        | 4        |
|   | U  |                   |          |
|   |  |                   |          |
|   |  |                   | 1 1 1    |
|   |  |                   |          |
|   |  |                   |          |
|   |  |                   |          |
|   |  |                   |          |
| : !                                     |  |                   |          |
| 4 |  |                   |          |
|   | Frosting ink   | image             | ーンメン     |
|   |  |                   | _        |
|   |  |                   |          |
|   |  |                   |          |
| i                                       |  |                   | COL      |
|   | texide (   | Tourcout Substrat | 6 202    |
|   |  |                   |          |
|   |  |                   |          |
|   |  |                   | -        |
|   |  |                   |          |
|   |  |                   |          |
|   |  |                   |          |
|   |  |                   |          |
|   |  |                   |          |
|   |  |                   |          |
|   |  |                   |          |
|   |  |                   |          |
|   |  |                   |          |
|   |  |                   |          |
| _ ; .ll                                 |  |                   |          |
|   |  |                   |          |
|   |  |                   |          |
|   |  |                   |          |
|   |  |                   |          |
|   |  |                   |          |
|   |  |                   |          |
|   |  |                   |          |
| . i .ii .                               | Figure   | 137               |          |
|   | 1 1 2  |                   |          |
|   |  |                   |          |
| 0                                       |  |                   |          |
|   |  |                   |          |

JOB NAME PAGE\_\_\_OF \_\_\_ TRIK ENGINEERING JOB NO. DATE\_ CALCULATED BY DATE\_ VERIFIED BY SCALE\_ Flexible Covercont Substrate Adhesive Glass or resumic Substrate Figure 38

| Away or frage | ENGINEERING     | JOB NAME JOB NO CALCULATED BY VERIFIED BY | PAGE OF DATE SCALE |
|---------------|-----------------|---|--------------------|
|               | + 83C           |   |                    |
|               | Flexible Course | oat Substrate                             | -805               |
|               | Caronic Colore  | ant image                                 | 720                |
|               | Alhesive        |   | -810               |
|               | Glass or cer    | zmic substra                              | te - 12            |
|               |                 |   |                    |
|               |                 |   |                    |
|               |                 |   |                    |
|               | Figure          | 2 39                                      |                    |

|       | Carrier on the grant 22 Table |  | JOB NAME          |        |
|-------|-------------------------------|--|-------------------|--------|
|       | i mak                         | <b>ENGINEERING</b>   | JOB NO.           | PAGEOF |
|       | Almong winds                  |  | CALCULATED BY     | _DATE  |
|       | Alvertoring                   |  | VERIFIED BY       | _DATE  |
|       | LEACHE, IL                    |  |                   | SCALE  |
| :     |                               | -845   |                   |        |
|       |                               |  |                   | -805   |
|       |                               | Flexible   | Covercoat Substra | te     |
| - / . | <del></del>                   | Frosting 1   | Tak Imase         | -222   |
|       |                               |  |                   |        |
|       |                               | Adhesiv  | <b>e</b>          | -810   |
| 405   |                               |  |                   |        |
| :     |                               |  |                   |        |
| 1     |                               | Class or (   | Coramic Substra   | te -12 |
| ( )   |                               | C (0.32)   |                   |        |
| ` `   | : :                           |  |                   |        |
|       |                               |  |                   |        |
| :     |                               |  |                   | ,      |
|       |                               |  |                   |        |
| '     |                               | <b>1 1</b> . |                   |        |
|       |                               |  |                   |        |
|       |                               |  |                   |        |
|       | •                             |  |                   |        |
| :     |                               |  |                   |        |
| :     | · ! · · · ·                   |  |                   |        |
| :     |                               | Figu   | 0 1/0             |        |
|       |                               | #19W   | 40                |        |
|       |                               |  |                   |        |
| 1     |                               |  |                   |        |